PU - Polyurethane
PS - Polysulfide
SR - Silicone Rubber

Product	Type	Adhesive Power	Uses	Sandable	Paintable	Water Proof	Tack	Cure Rate	Shelf Life	Color	Size	Item #	Each	Case Qty	Case
Life Calk	PS	Good	Use on wood, fiberglass, metal, glass and itself, Ideal for teak decks, bed decking and hull hardware. Can be applied under-water for emergency repairs.	yes	yes	yes	24 hr	7 day	12 mo	White	2.8 oz	BTL-1030	**$12.60**	12	**$136.08**
										Black	2.8 oz	BTL-1031	**$12.60**	12	**$136.08**
										Mahog.	2.8 oz	BTL-1032	**$12.60**	12	**$136.08**
										Teak	2.8 oz	BTL-1037	**$12.60**	12	**$136.08**
										White	10.5 oz	BTL-1033	**$17.48**	12	**$199.27**
										Black	10.5 oz	BTL-1034	**$17.48**	12	**$199.27**
										Mahog.	10.5 oz	BTL-1035	**$17.48**	12	**$199.27**
										Teak	10.5 oz	BTL-1036	**$17.48**	12	**$199.27**
2 Part Life Calk Pourable	PS	Good	Use on wood, fiberglass or metal	yes	yes	yes	1 hr	3 day	12 mo	Black	750 ml	BTL-1046	**$51.15**	4	**$194.36**
										Black	3 liter	BTL-1050	**$168.57**		
2 Part Life Calk Heavy	PS	Good	Use on wood, fiberglass or metal	yes	yes	yes	1 hr	3 day	12 mo	Black	750 ml	BTL-1048	**$51.15**	4	**$194.36**
										Black	3 liter	BTL-1047	**$168.57**		
Teak Deck Sealant	SR	Good	Designed for repairing teak deck seams	yes	no	yes	1 hr	1 day	6 mo	Teak	10.5 oz	BTL-1252	**$18.17**	12	**$196.26**
Marine Silicone Rubber	SR	Good/ Weak	Use on thru hulls, ports, hatches and windows. For fiberglass, metal, wood All purpose sealant. 100% Marine Silicone Rubber.	no	no	yes	1 hr	2 day	12 mo	Clear	2.5 oz	BTL-1140	**$8.85**	12	**$95.58**
										White	2.5 oz	BTL-1141	**$8.85**	12	**$95.58**
										Black	2.5 oz	BTL-1142	**$8.85**	12	**$95.58**
										Clear	14.7 oz	BTL-1150	**$16.88**	12	**$182.25**
										White	14.7 oz	BTL-1151	**$16.88**	12	**$182.25**
										Black	14.7 oz	BTL-1152	**$16.88**	12	**$182.25**
Boatlife Life Seal	SR/ PU	Good	Combination of silicone and polyurethane, formu-lated especially for fiberglass. It provides a durable permanent watertight seal for joints subject to structural movement. May be used above or below the waterline.	no	no	yes	1 hr	1 day	12 mo	Clear	10.5 oz	BTL-1169	**$16.15**	12	**$184.11**
										White	10.5 oz	BTL-1170	**$16.15**	12	**$184.11**
										Cameo	10.5 oz	BTL-1173	**$16.15**	12	**$184.11**
										Black	10.5 oz	BTL-1171	**$16.15**	12	**$184.11**

Product	Size	Uses	Item #	Each	Case Qty	Case
Solvent & Cleaner	16 oz	Specially formulated to remove uncured Life Calk from hands tools and clothing as well as preparing surfaces for application. *	BTL-1056	**$19.60**	12	**$211.68**
		**** These items ship via ground service only.***				

GE Silicones

Product	Type	Adhesive Power	Uses	Sandable	Paintable	Water Proof	Color	Size	Item #	Each	Case Qty	Case
GE Silicone I	SR	Good/weak	One-part mildew resistant general purpose silicone.	no	no	yes	White	10 oz	FSG-GE112	**$7.83**	12	**$84.51**
							Black	10 oz	FSG-GE312	**$8.83**	12	**$95.31**
							Clear	10 oz	FSG-GE012	**$7.83**	12	**$84.51**
GE Silicone II	SR	Good	Indoor/outdoor use for wide variety of applications. Excellent adhesion	no	no	yes	White	10 oz	FSG-GE5010	**$14.87**	12	**$160.62**
							Black	10 oz	FSG-GE5030	**$14.59**	12	**$157.53**
							Clear	10 oz	FSG-GE5000	**$12.53**	12	**$135.35**

The Industry Standard

PU - Polyurethane
PE - Polyether
PS - Polysulfide
SR - Silicone Rubber

Adhesive Sealants

Product	Type	Adhesive Power	Uses	Sandable	Paintable	Water Proof	Tack	Cure Rate	Shelf Life	Color	Size	Item #	Each	Case Qty	Case
5200 Adhesive/Sealant	PU	Strong Permanent bond. TS: 700 psi	Use on wood, fiberglass, hardware, motors on fiberglass transoms, seams, joints, between struts and planking, stern joints, etc. Primer may be needed for metal applications. For above and below waterline.	yes	yes	yes	48 hr	5-7 days	24 mo	White	10 oz	MMM-06500	**$12.99**	12	**$155.88**
										Black	10 oz	MMM-06504	**$12.99**	12	**$155.88**
										Mahogany	10 oz	MMM-06502	**$12.99**	12	**$155.88**
										Tan	10 oz	MMM-06501	**$12.99**	12	**$155.88**
										White	3 oz	MMM-05203	**$11.72**	6	**$63.29**
										Black	3 oz	MMM-05205	**$11.72**	6	**$63.29**
										White	1 oz	MMM-05206	**$7.10**	12	**$76.68**
5200 Fast Cure Adhesive/Sealant	PU	Strong TS: 600 psi	Ideal for applications where a fast long term seal is needed .	yes	yes	yes	2 hr	1 day	12 mo	White	10 oz	MMM-06520	**$20.02**	12	**$228.18**
										White	3 oz	MMM-05220	**$13.50**	6	**$72.90**
										White	1 oz	MMM-06535	**$8.14**	6	**$43.96**
4200 Fast Cure Adhesive/Sealant	PU	Medium TS: 300 psi	A one-part general purpose PU with good adhesion to wood, fiber-glass gelcoat, plastics and metals. For above and below waterline.	yes	yes	yes	2 hr	1 day	12 mo	White	10 oz	MMM-06560	**$18.78**	12	**$214.07**
										Black	10 oz	MMM-06564	**$18.78**	12	**$214.07**
										White	3 oz	MMM-05260	**$11.64**	6	**$62.86**
4000 UV Adhesive/Sealant	PE	Medium TS: 253 psi	General purpose cosmetic sealant with UV resistance. Great adhesion for metal. Will not yellow.	no	no	yes	2 hr	1 day	12 mo	White	10 oz	MMM-06580	**$16.58**	12	**$179.06**
										White	3 oz	MMM-05280	**$11.70**	6	**$63.16**

Sealants

Marine Silicone Sealant	SR	Fair TS: 220	Flexible, mildew resistant, silicone rubber sealant. For above the waterline only.	no	no	yes	2 hr	1 day	12 mo	White	10 oz	MMM-08027	**$25.44**	12	**$274.76**
Fire Barrier Sealant			Water based latex, intumescent smoke and firestopping sealant caulk for wall and floor penetrations. Provides up to 2 hrs of fire protection.	no	no	no		1 day			10.1 oz	MMM-16557	**$11.75**	12	**$126.88**

3M 5200 is the Industry Standard.
It provides a watertight seal with an incredible High-Strength Bond.

Sikaflex

PU - Polyurethane
PS - Polysulfide
SR - Silicone Rubber

Product	Type	Adhesive Power	Uses	Sandable	Paintable	Water Proof	Tack	Cure Rate	Shelf Life	Color	Size	Item #	Each	Case Qty	Case
Sika-292 High Strength	PU	Strong TS:600 psi	All purpose Elastic Adhesive. Bonding of floors to subfloors or metallic frame, exterior interior panels, bonding trim moldings to hull	yes	yes	yes	30-45 min	24 hr	9 mo	White	10.3 oz	SIK-292	**$22.43**	12	**$242.23**
Sika-296	PU	Strong TS:900 psi	Marine window adhesive. Use Aktivator. **For professional use only.**	No	yes	yes	45 min	24 hr	9 mo	Black	20 oz uni-pac	SIK-296*	**$57.75**	20	**$1,039.50**
Sika-295 UV	PU	Good/ Strong TS:450 psi	Direct Glazing Adhesive for polycarbonate acrylic use with Sika primer 209,as a sealant for glass, ceramics, metals, plastics fiberglass, many types of paint. **Do not apply in direct sunlight. Use with SIK-209 Primer**	yes	yes	yes	50 min	24 hr	9 mo	Black White	10.3 oz 10.3 oz	SIK-295UV SIK-295UVW	**$19.31** **$19.31**	24 24	**$220.08** **$220.08**
Sika-521UV	PU	Good TS:220 psi	UV Resistant Sealant. Very similar to 295UV but with less adhesive strength.	yes	yes	yes	60 min	24 hr	9 mo	White	10.3 oz	SIK-521UV	**$11.48**	12	**$124.03**
Sika-291		Good TS: 205 psi	All purpose adhesive sealant, may be used for light bonding Fast cure	yes	yes	yes	60 min	4 day	9 mo	Black White	10.3 oz 10.3 oz	SIK-291B SIK-291W	**$11.34** **$11.34**	24 24	**$258.55** **$258.55**
Sika-291LOT (use to replace SIK-240 and SIK-231)	PU	Good TS: 200 psi	All purpose adhesive sealant, bond to hull & structural members. Bedding Compound. Long Open Time	yes	yes	yes	3-5 hr	7 day	15 mo	Black White Mahogany	10.3 oz 10.3 oz 10.3 oz	SIK-291LOTB SIK-291LOTW SIK-291LOTM	**$12.96** **$12.96** **$12.96**	24 24 24	**$279.94** **$279.94** **$279.94**
Sika-221	PU	Good TS: 260 psi	Bonds well to a wide variety of substrates and is suitable for making permanent elastic seals of high adhesive strength.	yes	yes	yes	60 min	2+ days	12 mo	Black White Gray Coping Stone Colonial	10.3 oz 10.3 oz 10.3 oz 10.3 oz 10.3 oz	SIK-221243 SIK-221241 SIK-221242 SIK-22124T SIK-221245	**$9.42** ***$9.39** ***$9.42** ***$9.42** ***$9.42**	24 24 35 24 24	**$214.74** **$214.19** **$214.74** **$214.74** **$214.74**
Sikaflex 201US	PU	Good TS: 175 psi	All purpose flexible sealant is a one-component Polyurethane with great elasticity.	yes	yes	yes	2-4 hr	2+ days	12 mo	White Gray Tan	10.3 oz 10.3 oz 10.3 oz	SIK-201241 SIK-20124G SIK-201246*	***$10.64** ***$10.64** **$10.64**	24 24 24	**$242.61** **$242.61** **$242.61**
Sikaflex 252	PU	Strong TS: 600 psi	Adhesive may be used in place of screws, rivets, welds and other fasteners.	yes	yes	yes	40 min	2+ days	9 mo	Black White	10.3 oz 10.3 oz	SIK-252243 SIK-252241	***$15.07** **$15.07**	24 24	**$343.59** **$343.59**

Minimum orders may apply.

Primers and Cleaners

Product	Uses	Primer for:	Color	Size	Item #	Each	Case Qty	Case
Sika-209	Prime painted surfaces prior to bonding with Sikaflex products	295UV	Black	250 ml	SIK-209D	**$73.88**	6	**$421.10**
Sika-215	Improves adhesion of Sikaflex adhesives and sealants on wood, plastics and composites	ALL	Clear/Amber	250 ml	SIK-215	**$61.42**	6	**$331.67**
Sika-206 G+P	Adhesion promoter for FRP/GRP and certain metals	296	Black	8.5 oz can	SIK-206P	**$64.49**	6	**$367.60**
Sika-Aktivator	Cleaning agent for abraded surfaces and used to promote adhesion on glass.	ALL	Clear/Amber	250 ml	SIK-AKT	**$18.90**	6	**$102.06**
Sika- Cleaner 226	Improves adhesion and gives a more weather resistant bond or seal on a variety of substrates: metals, many plastics & many paints. Cleaner.	ALL	Clear	pint	SIK-226	**$19.85**	6	**$113.12**

Product	Description			Item #	Price
Uni-Pac Gun	Manual Professional 12:1 ratio for 10 and 20 oz Uni-Pacs	Manual	20 oz	COX-51001	**$41.12**
	Pneumatic--with true adjustable air regulator	Pneumatic	20 oz	COX-61006-20	**$123.84**

TDS Teak Deck Caulking

TDS Teak Caulking is a one-part, paste-like oxime cure system which when exposed to moisture in the air reacts to form a tough, flexible solid rubber compound.

Size	Color	Item #	Price
10.3 oz cartridge	black	TDS-SIS440B10C	$11.05
10.3 oz cartridge	white	TDS-SIS440W10C	$11.90
20 oz sausage	black	TDS-SIS440B20S	$22.33

Maritime Teak Deck Caulk

Ready-to-use, one-part sealant. Specially formulated for maximum adhesion to teak. Stays permanently flexible. Fast curing - sandable in 24 hours. No air bubbles to create unsightly voids and gaps. Very high UV resistance. No primer required. 10.3 oz cartridge.

Size	Item #	Each
10.3 oz	MWP-C	$12.14
20 oz	MWP-S	$26.20

Teak Decking Systems Fitting Epoxy

TDS Fitting Epoxy (FE180A) is a custom blend of high quality epoxy resins, activators and additives formulated for outstanding adhesion to common marine substrates such as fiberglass, wood, aluminum and steel. Developed as a 'tough' adhesive capable of enduring the flexing yachts undergo at sea, FE180A has special additives that enhance internal strength, bond strength and viscosity control under a variety of adverse environmental conditions. TDS Fitting Epoxy is also DOT (US Department of Transportation) certified to be non-corrosive and is designed not to harm the environment.

Size	Item #	Price
1 Gallon Kit	TDS-FE180-1G	$110.50
2 Gallon Kit	TDS-FE180-2G	$180.00

Professional Caulking Gun

Premium quality caulking gun designed for the professional. Features 18:1 thrust ratio, spout cutter and seal puncture tool.

Item #	Price
NBC-250	$29.92

Smith's Layup and Laminating Epoxy

For fiberglass layup or laminating wood. Not for hardwoods. Cures down to 28º F. 2-Part Kits.

Size	Item #	Each
12 oz	SMI-LLE12	$23.17
2 pt	SMI-LLEPT	$52.10
2 qt	SMI-LLEQT	$97.00

Newborn Parallel Frame Caulking Gun

This quality gun is equipped with a tempered cutting blade, spout cutter and fold away seal puncture tool. Free Caulk Buddy!

Item #	Price
NEW111	$7.82

Empty Cartridge

With Plunger. 1/12 gal.

Size	Item #	Price
1/12 gal	BTL-1120	$2.76

Smith's Tropical Hardwood Epoxy

Thick, liquid consistency. Glues any wood, hard or soft. Cures down to 50º F. 2-Part Kits.

Size	Item #	Each
12 oz	SMI-THE12	$23.08
2 pt	SMI-THEPT	$51.00
2 qt	SMI-THEQT	$97.00
2 gal	SMI-THEGL	$356.50

Slick Seam

Works underwater! Slick Seam is a remarkable caulking compound made of fine waxes, pure mineral products and silicate fibers. It is not only effective but easy to use for any underwater seam application. No mixing or priming required. Stays in place no matter how much wood flexes or swells. **Note:** Needs to go into water immediately after application. Cures for paint in 30 minutes. 16 oz / 1 lb.

Item #	Price
DAV-730	$12.83

Smith's Epoxy Clean-Up Solvent

Cleans up all uncured epoxy products.

Size	Item #	Each
1 qt	SMI-ECUSQT	$17.40
1 gal	SMI-ECUSGL	$49.50

Starbrite Caulk Rite Tool



A caulking tool that allows users to easily apply a perfect bead of caulking with no mess, edge marks, or waste. Suitable for silicone, latex and acrylic caulk. Easy to clean. The Caulk Rite lets you apply caulk like a professional, without a mess or the need for you to smooth it out with your fingers.

Item #	Price
STA-92501	$10.00

Phenoseal Vinyl Adhesive Caulk

Phenoseal bonds masonry, metal, wood, tile, glass, canvas, fiberglass, foam-board insulation, and more, caulks tubs, showers, and tiles -- even boat seams, seals gutters, air conditioners, windows and doors. Easy to apply. Mildew-resistant. Flexible, rugged, water-resistant. Cleans up with water before cure. Paintable. Nontoxic, nonflammable and safe to use. **10 oz**

Color	Item #	Price
Clear	PHENC	$5.24
White	PHENW	$6.66
Almond	PHENA	$6.84

Oakum

5 lb box. Twisted jute packing. 5 lb yields 30 lengths of 2-1/2' each. Oakum with bentonite, an inorganic compound that expands over 10 times its volume when wet. Further improved with golden oils. Does not split.

Item #	Box
OAKUM	**$41.95**

Oakum

Caulking Wick

7 strand wick. So that if the seam is too tight you can pull off a strand or two for a better fit.

Item #	Roll
CLKWIC7	**$2.91**



Caulking Irons

Tip	Length	Item #	Price
1/32" x 2"	5"	OSB-00	**$23.63**
1/16" x 2-1/2"	5-5/8	OSB-0	**$23.63**
1/8" x 2-1/4"	5-7/8	OSB-1	**$23.63**

Caulking Cotton

Bristol Sussex cotton. Single combined 1 grade. Premium cotton for traditional caulking. Designed for larger seams.

Size	Item #	Price
1 lb bags = 210'	CLKCOT	**$10.58**

Dolfinite Bedding Compound

Flexible, semi-paste type, slow oxidizing waterproof compounds for bedding in joints in keel, keelson, stem, sternpost, transom, battens and other hull members. Also for bedding in deck fittings, moldings and trim around deck houses. May be used on wood, fiberglass, and metal or wherever a waterproof seal is required. Apply by hand or pressure gun or putty knife. Thinning is not normally required. May be painted over after the compound has firmly skinned over.

These bedding compounds are also recommended for use as a double planking compound in the construction of double planked hulls where canvas is not used. Apply a liberal coat with a serrated trowel on the inner layer before laying up the outer planking.

Color	Size	Item #	Price
Natural	pint	PET-2005NP	**$31.23**
Natural	quart	PET-2005NQ	**$42.00**
Mahogany	pint	PET-2005MP	**$32.98**
White	pint	PET-2005WP	**$31.23**
White	quart	PET-2005WQ	**$44.36**

Seam Compounds

Available in two different versions, one for above the waterline and one for below the waterline.

Brown. For underwater seams of wooden boats.

Size	Item #	Price
quart	INT-0030Q	**$29.70**

White. For wooden boat seams above the waterline.

Size	Item #	Price
quart	INT-0031Q	**$31.90**

Boatyard Bedding Compound

Natural. Designed for bedding down deck hardware, molding, cleats, pad eyes, flanges, transoms, cabin trunks, keels etc. The surface hardens to accept paint, but remains soft and pliable underneath to provide waterproofing and flexibility. Use on bare fiberglass and painted or sealed wood and metal.

Size	Item #	Price
quart	INT-0214Q	**$36.69**

Pettit Seam Compound and Seam Cement

Designed to be used on seams, whether above or below the waterline. 7110 White is best knifed into clean, sealed or primed topside seams which will then be overcoated with enamels. Is also an excellent choice to fill seams below the waterline that will be coated with antifouling paints and when topcoating with varnish. 7510 Brown is made from rosin and oils that are fully compatible with soft antifouling paints.

Type	Size	Item #	Price
7510	Quart	PET-7510Q	**$46.43**
7110	Quart	PET-7110Q	**$46.43**

Sika Hand Cleaner

A unique patented waterless hand cleaning system combining both a high-quality, liquid hand cleaner, and a heavy-duty, non-scratching, abrasive hand-cleaning towel. Use these towels to wipe hands clean after working with Sika products. Cleans, moisturizes, and protects without harsh solvents.

Size	Quanity	Item #	Price
Bucket	72 Wipes	SIK-1900060	**$33.06**

Sikaflex Nozzle

Extra replacement nozzles. For use with the 10.5 oz cartridge. Bag of 6. For use with any caulking tube, but designed exclusively for Sika and Sikaflex.

Item #	Price/6bg
SIK-NOZ	**$10.01**

Sika No. 75 Yellow or Orange Cone Caulking Nozzle

A replacement tip for all Cox Manual and Pneumatic Sausage Pack (Unipac) caulking guns.

Item #	Price/4pk
SIK-894970	**$9.74**

Cox - Orange Slim Plastic Caulking Nozzle

Replacement Nozzles for the Cox 10.3 oz. Manual and 20 oz. Manual and Pneumatic Sausage Pack (Unipac) guns. .

Item #	Price
COX-0074	**$3.08**

EndRot **Sculpwood** **RotFix**

System Three EndRot Kit

In the EndRot kit, the wood is first treated with a preservative then the rot-damaged wood is repaired with state-of-the-art epoxies. It contains enough of each product (RotFix, Sculpwood, Impel Rods and Board Defense) to do several kinds of repairs. **Kit includes:** *6 ea. IMPEL Rods, 2 oz. Board Defense, 2 oz. RotFix Resin, 1 oz. RotFix Hardener, 8 oz. SculpWood Resin, 8 oz. SculpWood Hardener, 2 pair Gloves, 1 ea. Literature Pack.*

Item #	Price
STR-4005K99	**$50.00**

System Three SculpWood

A 2-component, solvent free, kneadable epoxy resin product. It is moldable, carvable, lightweight, strong, and exhibits excellent adhesion to a variety of substrates. It is easily sanded and will accept paint, screws and nails.

Size	Item #	Price
2-Pint Kit	STR-R90301	**$36.04**
2 Quart Kit	STR-1600K20	**$58.46**
2 Gallon Kit	STR-1600K50	**$204.75**
10 Gallon Kit	STR-1600K60	**$640.50**

RotFix Rot Repair Epoxy

A low viscosity epoxy wood sealer and primer. Used for repair and restoration of rotted, deteriorated, dried out or spongy wood. Mix and apply RotFix in batches from 2 ounces to 7 ounces. 2-to-1 Mix Ratio.

Kit Size	Item #	Price
1.5 Pint	STR-R90201	**$37.04**
1.5 Quart	STR-1500K42	**$58.46**
3 Quart	STR-1500K44	**$108.86**
1.5 Gallon	STR-1500K46	**$147.00**

System Three Board Defense Borate Powder

Board Defense is an EPA registered insecticide, termiticide and fungicide concentrate for the control of wood destroying insects and rot. This highly versatile conectrate protects and treats wood against all wood destroying organisms.

Kit Size	Item #	Price
2 oz	STR-1510S04	**$7.75**
1 lb	STR-1510S16	**$27.25**

JAMESTOWN DISTRIBUTORS is on facebook
www.facebook.com/jamestowndistributors

Excellent for preparing bare wood before varnish or paint!

CPES Penetrating Epoxy Sealer


RESTORE, NOT REPLACE™
COLD WEATHER FORMULA
Clear Penetrating Epoxy Sealer
Smith & Co.
The Modern Technology That Restores Deteriorated Wood
PART B
WARNING! FLAMMABLE HARMFUL IF SWALLOWED SKIN AND EYE IRRITANT SENSITIZING AGENT
KEEP OUT OF REACH OF CHILDREN

Primary in the treatment process for the restoration of rotted or deteriorated wood. Penetrates and saturates wood with a premium epoxy resin. Also used as a primer coating for paints, varnishes and polyurethanes, and as a wood stabilizer to help prevent chipping and splitting during carving or turning. CPES™ is a two part product. Mixes 1:1

CPES is effective because of the special blend of solvents that allow it to migrate into the wood fibers and into the cellulose of the wood. Impregnation of the wood with the Clear Penetrating Epoxy Sealer changes the cellulose of the wood (which the bacteria and fungi find easily digestible) into epoxy impregnated cellulose which resists the fungi, while reinforcing the wood, and accomplishing restoration.

Type	Size	Item #	Price
Warm	2 pt	SMI-CPESWPT	**$36.20**
Warm	2 qt	SMI-CPESWQT	**$61.40**
Warm	2 gal	SMI-CPESWGL	**$221.00**
Cold	2 pt	SMI-CPESCPT	**$36.20**
Cold	2 qt	SMI-CPESCQT	**$61.40**
Cold	2 gal	SMI-CPESCGL	**$221.00**

Boatlife "GIT" ROT

Git Rot pours into the finest openings, penetrates and saturates rotten wood. Cures into a resilient adhesive which arrests dry rot by bonding wood membranes together with a mass stronger than the original wood.

Size	Item #	Each
4 oz	BTL-1063	**$15.22**
Pint	BTL-1064	**$34.81**
Quart	BTL-1065	**$58.71**

System Three Impel Rods

Impel Rods are molded from fused, water-diffusible borates which are internationally recognized as an effective and well established wood preservative. Borates also effectively control termites, carpenter ants, a variety of beetles, and many other wood boring insects. They are user friendly and environmentally acceptable. Borates are highly toxic to fungal decay and many insects at concentrations that are not poisonous to humans or other mammals.

Rod Size	Item #	Price
1/4" x 1/2"	STR-1515S99	**$7.75/6pk**
1/3" x 1"	STR-1525S99	**$46.00/24bx**
1/2" x 2"	STR-1530S99	**$40.00/12bx**
1/2" x 4"	STR-1535S99	**$44.00/12bx**
1/3" x 2-5/8"	STR-1520S99	**$66.00/24bx**
3/4" x 3"	STR-1540S99	**$61.00/12bx**

SYSTEMTHREE

Ask for your FREE System Three Epoxy Book!

For the past two decades, **System Three Resins** has focused on providing the highest quality epoxy and urethane products to consumers worldwide. They have done extensive research on adhesives, coatings and compounds fomulating products to meet the needs of a wide variety of craftsmen from boat and airplane builders to furnituremakers and woodworkers.

Resins

Resins	Item#	Size	Description	Price
Epoxy Resin	**STR-100002**	1 qt	This is the workhorse of the System Three resins stable, fitting well into over 90% of all epoxy applications. Use a 2:1 mix ratio with any of three hardeners. Use at temps as low as 35º F with no limitations on humidity. Cures to a very tough, resilient, clear film. Combine with any of the three hardeners to provide a continuous range of cure times. **Tensile strength 7500 PSI. 3-5 day cure time.**	**$29.41**
	STR-100003	1 gal		**$76.80**
	STR-0100A30	5 gal		**$355.20**
	STR-100008	55 gal Drum		**$2,728.70**

Hardeners

Hardeners	Item #	Size	Description at 70º : 3-5 Cure Time	Pot Life	Set Hours	Price
#1 Fast 35º Min Temp	**STR-100101**	1 pt	When selecting a hardener, consider the minimum temperature expected during application and cure time in relation to the pot life. Combine System Three hardeners to create a continuous range of cure times within the parameters of the Fast, Medium and Slow.	15 Min	2 Hrs	**$21.17**
	STR-100102	1 qt		15 Min	2 Hrs	**$33.52**
	STR-1001025	0.5 gal		15 Min	2 Hrs	**$65.52**
	STR-100103	1 gal		15 Min	2 Hrs	**$83.00**
	STR-100104	2.5 gal		15 Min	2 Hrs	**$197.00**
#2 Medium 60º Min Temp	**STR-100201**	1 pt		30 Min	4-6 Hrs	**$21.17**
	STR-100202	1 qt		30 Min	4-6 Hrs	**$33.52**
	STR-1002025	0.5 gal		30 Min	4-6 Hrs	**$65.52**
	STR-100203	1 gal		30 Min	4-6 Hrs	**$83.00**
	STR-100204	2.5 gal		30 Min	4-6 Hrs	**$197.00**
#3 Slow 75º Min Temp	**STR-100301**	1 pt		60 Min	8 Hrs	**$21.17**
	STR-100302	1 qt		60 Min	8 Hrs	**$33.52**
	STR-1003025	0.5 gal		60 Min	8 Hrs	**$65.52**
	STR-100303	1 gal		60 Min	8 Hrs	**$83.00**
	STR-100304	2.5 gal		60 Min	8 Hrs	**$197.00**

Pumps

Pumps	Item #	Description	Price
Resin Pump **Hardener Pump**	**STR-3021S99**	Set of two pumps. Fits pint, quart, 0.5 gal, gal, 2.5 gal, and 5 gal containers. One Hardener Restrictor included to limit the pump to 0.5 oz per stroke.	**$12.95**

Fillers

Fillers	Item #	Size	Description	Strength	Sandability	Price
Silica Thickener	**FIB-SIL1Q**	1 qt	Also referred to as colloidal silica. Can be used alone for a very smooth, high strength mixture.	**High**	**Worst**	**$14.52**
	FIB-SIL5Q	5 qt				**$27.46**
Wood Flour	**FIB-WF1Q**	1 qt	Fine sawdust. Excellent for creating glues and structural fillets.	**Low**	**Best**	**$7.00**
	FIB-WF5Q	5 qt				**$21.12**

Mirror Coat

SB-112 (Surfboard)

Silvertip Laminating

Quick Cure

Clear Coat

EZ Fillet

T-88

System Three Mirror Coat

A pourable, self-leveling bar and tabletop coating. It works well on many surfaces such as wood, ceramics, plaster, masonry and some plastics. Cures to a glossy, smooth finish that is scratch and stain resistant. MirrorCoat is a clear 2 to 1 ratio epoxy system.

Size	Item #	Price
1.5 Pint Kit	STR-116001	**$37.04**
1.5 Quart Kit	STR-116002	**$62.50**
3 Quart Kit	STR-116003	**$104.83**
1.5 Gallon Kit	STR-0500K46	**$161.00**
3 Gallon Kit	STR-0500K52	**$260.00**
7.5 Gallon Kit	STR-0500K58	**$510.00**
15 Gallon Kit	STR-0500K62	**$1,015.00**

System Three SB-112 Epoxy Resin

Surf board resin. Special formula for use in building sail and surf boards over polystyrene cores. Cures to a clear, glossy blush-free surface. Clear, almost water-white high modulous epoxy resin system. Has UV protection!

Kit Size	Item #	Price
1.5 Pint kit*	STR-112001	**$40.07**
3 Quart kit*	STR-112003	**$124.99**
1.5 Gal kit*	STR-112004	**$192.00**

System Three Silvertip Laminating Resin Kit

Designed specifically for laminating. No blush, low viscosity, fast wet-out fiberglassing resin. Colorless finish. Each kit contains 1 gal resin and 0.5 gal of fast or slow hardener, and pump set.

Kit Size	Item #	Price
Fast	STR-SLR3	**$189.00**
Slow	STR-SLR4	**$189.00**

System Three Quick Cure Epoxy

5-Minute Epoxy. Mix ratio at 1:1 Use for installing bungs, tack welding wood and for those other glue jobs which require a small amount and a fast cure. Water resistant but not waterproof.

Kit Size	Item #	Price
1 Quart kit	STR-120503	**$53.00**

System Three Clear Coat Epoxy Resin

Clear Coat is ideal for dry rot repair, the clear coating of wood, and the wetting of fiberglass cloth for bright finished boats. Use as a primer (base) for clear LPU or varnish and as a penetrating first coat for blister repair. Clear Coat cures to a brilliantly clear, very tough coating without the usual “amine blush”. No UV protection.

Kit Size	Item #	Price
1.5 Pint kit*	STR-130601	**$38.81**
3 Quart kit*	STR-130603	**$122.98**
1.5 Gal kit*	STR-130604	**$182.00**

*** These items ship via ground service only.**

System Three EZ Fillet Wood Flour Putty

A wood flour two-part putty designed for stitch-and-glue wooden boat construction. Creates smooth cosmetic or structural fillet when combined with fiberglass cloth.

Size	Item #	Price
1.5 pt	STR-1430K40	**$26.21**
1.5 qt	STR-1430K42	**$44.86**
1.5 gal	STR-1430K46	**$159.00**

System Three T-88

Structural Adhesive

High performance structural epoxy adhesive for wood, metal, concrete, marble and most rigid surfaces. T-88 is a waterproof non-brittle, two-part epoxy adhesive designed to give superior results under adverse conditions. It is a clear amber and becomes virtually invisible when varnished. Working time is one hour. Tack-free in 4-6 hours. Tensile strength 7000 psi.

Size	Item #	Price
0.5 Pint	STR-1100K10	**$19.75**
Quart	STR-180003	**$40.04**

System Three Gel Magic Universal Cartridge

A two-part epoxy adhesive that will not sag or run. Designed for wood and other porous materials. No more measuring fillers. Gel Magic components mix into a paste that is ready to be applied to vertical and overhead surfaces without sagging. GelMagic can be post-cured up to 140º for even greater performance.

Item #	Price
STR-1230K91	**$19.66**

System Three Mixing Nozzle

These mixing nozzles are used for the ***System Three Universal Cartridges only***. They fit right on the tip of the cartridge for pre-mixed dispensing of the product. The Cartridges can be used without the mixing nozzle for dispensing calibrated but small portions of the products.

Item #	Price/6pk
STR-3611S90	**$7.35**

System Three Silvertip Gel Magic Adhesive

Gel Magic is a two-part epoxy adhesive that will not sag or run. No more measuring fillers -- Gel Magic is ready to be applied to vertical surfaces without sagging.

Size	Item #	Price
1.5 pt	STR-1230K40	**$30.74**
1.5 qt	STR-1230K42	**$56.45**
3 qt	STR-1230K44	**$104.83**

G/flex Liquid Epoxy

G/flex is resilient enough to bond dissimilar materials and flexible enough to absorb the stress of expansion, contraction, shock and vibration.

Includes: ***WSY-650-8*** *Two 4 oz. bottles of liquid epoxy (one 4 oz. resin and one 4 oz. hardener) in a plastic bag.* ***WSY-650-K*** *Clamshell kit containing two 4 oz. bottles of liquid epoxy (one 4 oz. resin and one 4 oz. hardener), 2 mixing sticks, 2 syringes, 4 mixing cups, 406 Colloidal Silica, 1 pair gloves and 4 alcohol pads.*

Type	Item #	Price
8 oz. Resin and Hardener	WSY-650-8	**$17.97**
8 oz. Epoxy Kit w/Accessories	WSY-650-K	**$23.68**
32 oz. Kit	WSY-650-32	**$52.40**
2 gal. Kit	WSY-650-2G	**$239.42**

G/flex Thickened Epoxy Adhesive

G/flex Thickened Epoxy Adhesive Resin and Hardener has a thickening agent, and is a toughened, versatile epoxy for permanent waterproof bonding of fiberglass, ceramics, metals, plastics, damp and difficult-to-bond woods.

Includes: *Clamshell kit containing two 4.5 oz. aluminum tubes of thickened epoxy adhesive (one 4.5 oz. resin and one 4.5 oz. hardener), 2 mixing sticks, 10 mixing palettes, 1 pair gloves and 4 alcohol pads.*

Type	Item #	Price
G/flex Epoxy Kit	WSY-655-K	**$27.35**
2 Quart Kit	WSY-655-2QT	**$71.09**
2 Gal Kit	WSY-655-2G	**$262.41**

West System G/5

Five Minute Adhesive

An easy to use, 2-part resin/hardener system for quick repairs, tooling and general bonding. May be used in spot applications to hold parts in position while standard epoxy bonds cure. Bonds to wood, fiberglass and metal. Not recommended for long-term bonds subject to high loads or moisture. One to one mixture, no pumps are required. Cures in 3 to 5 minutes.

Size	Item #	Price
4 oz	WSY-865-4	**$18.26**
16 oz	WSY-865-16	**$50.62**

WEST System 320 Scale

Allows accurate measuring of as little as a few drops of resin and hardener for small projects, and can measure up to as much as 4 fluid ounces of product. It can be used to check the accuracy of dispensing pumps and calculate additive percentages.

Item #	Price
WSY-320	**$40.57**

WEST SYSTEM® BRAND EPOXY KITS!

Only $155.60

Everything you need for your epoxy repairs and projects. There are two kits available that are identical, except for the hardener rate. One is for fast hardener: used primarily in cooler temps or for a more rapid cure (205 hardener). The other is for a slow hardener: used in warmer temps or when more work time is needed (206 hardener).

Kit Includes:		Price
WSY-105B	1 Gallon Resin	**$93.79**
WSY-205B/206B	1 Quart Hardener	**$39.43**
WSY-300	1 Set of Mixing Pumps	**$12.93**
FIB-918	3 Yds of 6oz Fiberglass Cloth	**$21.46**
WSY-832-4	4 Pair Neoprene Gloves	**$5.18**
WSY-804-8	1 Pack Reusable Mixing Sticks	**$2.52**
WSY-002-950	WEST System User Manual	**FREE**
WSY-002-550	WEST System Fiberglass Restoration Book	**$4.95**

List Price: **$180.56** ***SAVE $30!***

ITEM # WSY-105BKITF - Fast Hardener $155.60

ITEM # WSY-105BKITS - Slow Hardener $155.60

WEST System Six10 Thickened Epoxy Adhesive

Six10 cures in temperatures as low as 50ºF. Working time is 42 minutes at 72ºF. Six10 cures to a solid state in 5-6 hours and will take high loads in 24 hours. Six10 cure time is faster at warm temperatures and slower in cool temperatures. The Six10 cartridge holds 190 ml of resin and hardener.

To use Six10 Adhesive, replace the retaining nut and plug on the West System Six10 dispensing cartridge with the 600 Static Mixer that comes attached to the cartridge. Dispense the mixed 2-part epoxy adhesive using a standard caulking gun. The efficient internal geometry of the 600 Mixer thoroughly blends resin and hardener in a short mixing length for good application control and a minimum of waste. Place the high-strength, non-sagging Six10 thickened epoxy exactly where it's needed in less time and with no mess.

Type	Item #	Price
190ml Cartridge	WSY-610	**$20.50**
Static Mixer Nozzle / 2pk	WSY-600-2	**$5.00/2pk**
Static Mixer Nozzle / 12pk	WSY-600-12	**$20.00/12pk**

WEST SYSTEM* BRAND
*TRADEMARK OF GOUGEON BROTHERS, INC., U.S.A.

100% Price Match Guarantee
We will not be undersold!

HUGE SAVINGS ONLINE!

Resins

Resins	Item#	Size	Description	MSRP
105 Epoxy Resin	WSY-105A	1 qt	105 Epoxy Resin is the base material on which all of the line's compounds are built. The resin is a clear, pale amber, low-viscosity liquid epoxy for use with WEST SYSTEM hardeners.	$35.65
	WSY-105B	0.98 gal		$93.79
	WSY-105C	4.35 gal		$354.50

Hardeners

Hardeners	Item#	Size	Description	MSRP
205 Fast Hardener	WSY-205A	0.44 pt	Medium viscosity epoxy curing agent for lower temperatures and produces a rapid cure quickly at room temperature.	$17.90
	WSY-205B	0.86 qt		$39.43
	WSY-205C	0.94 gal		$136.34
206 Slow Hardener	WSY-206A	0.44 pt*	Low-viscosity epoxy curing agent for extended working and cure times. Not recommended for clear coating.	$17.90
	WSY-206B	0.86 qt*		$39.43
	WSY-206C	0.94 gal*		$136.34
207 Special Coating Hardener "Clear coat"	WSY-207A	0.66 pt*	Especially developed for use with 105 Resin where an exceptionally clear, moisture-resistant, natural wood finish is desired. UV inhibiting additive improves resistance, but still requires further UV protection.	$34.97
	WSY-207B	0.33 gal*		$75.37
	WSY-207C	1.45 gal*		$241.86
209 Extra Slow Hardener "Tropical"	WSY-209A	0.66 pt*	For use with 105 Resin for general coating and bonding in extremely warm and/or humid conditions or for extended working time at room temp. Provides twice the working time of 206 slow hardener.	$31.03
	WSY-209B	0.33 gal*		$68.83
	WSY-209C	1.45 gal*		$224.23

Fillers

Fillers	Item#	Size	Description	Strength	Sandability	Price
403 Microfibers	WSY-403-9	6 oz	A fine fiber blend for thickening the epoxy compound. Provides good gap-filling qualities while retaining excellent penetrating capabilities.	High	Hard	$9.81
	WSY-403-28	20 oz				$22.48
404 High Density Filler	WSY-404-15	15.2 oz	Thickening additive developed for maximum strength for hardware bonding. Can be used for filleting and gap filling. Color: Off-white			$13.24
	WSY-404-45	45.6 oz				$30.49
406 Colloidal Silica	WSY-406-2	1.7 oz	A very strong thickening additive used to control the viscosity of the epoxy. Often used with other fillers.			$8.81
	WSY-406-7	5.5 oz				$21.58
405 Filleting Blend	WSY-405	8 oz	Strong, wood toned filler for use in glue joints and fillets on finished wooden interiors.			$14.37
407 Low Density Filler	WSY-407-5	4 oz	Blended Micro-Balloon based filler used to make fairing putties that are easy to sand or carve. Cures to a dark red/brown color			$14.99
	WSY-407-15	12 oz				$36.57
410 Microlight	WSY-410-2	2 oz	The ideal Low-Density filler for creating a light, easily worked fairing compound. Cures to a "wood" color. Not recommended for high heat exposure.			$14.27
	WSY-410-7	5 oz		Low	Easy	$28.38
	WSY-410-B	4 lb				$259.97

***Additional shipping charges may apply to products on these pages. See ordering information**

WEST SYSTEM 105 EPOXY RESIN
WEST SYSTEM 205 HARDENER
WEST SYSTEM 207 HARDENER
WEST SYSTEM 209 HARDENER
WEST SYSTEM 403 MICROFIBERS
WEST SYSTEM 422 BARRIER COAT ADDITIVE

Resins

Hardener Needed				Pump		Mix
Slow	Fast	Coating	Tropical	Needed	Viscosity	Ratio
WSY-206A	WSY-205A	WSY-207A	WSY-209A	WSY-300	1000 cps	5:1
WSY-206B	WSY-205B	WSY-207B	WSY-209B	WSY-300	1000 cps	5:1
WSY-206C	WSY-205C	WSY-207C	WSY-209C	WSY-300	1000 cps	5:1

Hardeners

Pump Needed	Pot Life @72°	Set Time @72°	Cure Time @72°	Mixed Viscosity @72°	Mix Ratio	Tensile Strength
WSY-300	9-12 minutes	6-8 hours	1-4 Days	975-1300 cps	5:1	7846 psi
WSY-300	9-12 minutes	6-8 hours	1-4 Days	975-1300 cps	5:1	7846 psi
WSY-300	9-12 minutes	6-8 hours	1-4 Days	975-1300 cps	5:1	7846 psi
WSY-300	20-25 minutes	10-15 hours	1-4 Days	580- 725 cps	5:1	7320 psi
WSY-300	20-25 minutes	10-15 hours	1-4 Days	580- 725 cps	5:1	7320 psi
WSY-300	20-25 minutes	10-15 hours	1-4 Days	580- 725 cps	5:1	7320 psi
WSY-300	22-27 minutes	12-18 hours	4-7 Days	725-775 cps	3:1	7509 psi
WSY-300	22-27 minutes	12-18 hours	4-7 Days	725-775 cps	3:1	7509 psi
WSY-300	22-27 minutes	12-18 hours	4-7 Days	725-775 cps	3:1	7509 psi
WSY-300	40-50 minutes	20-24 hours	4-9 Days	725-800 cps	3:1	7105 psi
WSY-300	40-50 minutes	20-24 hours	4-9 Days	725-800 cps	3:1	7105 psi
WSY-300	40-50 minutes	20-24 hours	4-9 Days	725-800 cps	3:1	7105 psi

Pumps

Type	Item#	Description	Price
300 Mini Pumps	**WSY-300**	Set of three pumps for resin or hardeners in A, B and C size containers.	**$12.93**
Model A Metering Pump	**WSY-306-25**	For metering larger quantities of 105 Resin and 205 or 206 (5:1 ratio) Hardeners	**$354.50**

Additives

Fillers	Item#	Size	Description	Price
422 Barrier Coat Additive	**WSY-422-16**	16 oz	Improves moisture-exclusion performance. Also increases abrasion resistance, and will help prevent gelcoat blistering.	**$23.33**
423 Graphite Powder	**WSY-423**	12 oz	Produces low friction exterior with increased durability. Color: Black	**$16.89**
Color Pigments	**WSY-501-8**	4 oz	**White tint.** Mixing ratio: approx. 1 teaspoon to 8 oz of epoxy. No UV protection.	**$15.40**
	WSY-503-8	4 oz	**Gray tint.** Mixing ratio: approx. 1 teaspoon to 8 oz of epoxy. No UV protection.	**$15.60**

*** These items ship via ground service only.**

FREE West System Epoxy User Manual and other West System publications see page 130.

100% Price Match
We will not be undersold!

MAS is a single-system solution for all of your epoxy needs: laminating, fiberglassing, clearcoating, bonding, filling, barrier coating and repairing. Features include: low viscosity resins for easy wet out, "no-blush," slow and fast epoxy hardeners, and blendable hardeners for custom work times. 2:1 Mix Ratio.

Ask for your FREE MAS Epoxy Technical Manual!

Resins

Resins	Item #	Size	Description	MSRP
Low Viscosity Resin	MAS-30-001	1 qt	The MAS workhorse epoxy.	$33.99
	MAS-30-005	0.5 gal	Use for barrier coatings, laminating,	$62.99
	MAS-30-002	1 gal	and bonding.	$99.99
	MAS-30-003	4 gal		$388.99
Flag Resin	MAS-FLAG032	1 qt	F.L.A.G : Filleting, Laminating and Gluing	$33.99
	MAS-FLAG064	0.5 gal	Medium viscosity resin has excellent	$62.99
	MAS-FLAG1G	1 gal	toughness and great adhesive properties.	$99.99

Hardeners

Hardeners	Item #	Size	Description at 77º	Pot Life	Set Time	MSRP
Fast "No Blush"	MAS-30-611	1 pt	A rapid ambient temperature hardener. Ideal for high strength secondary bonding applications such as tabbing and repairs.	7 Min	2 Hrs	$24.99
2-5 Day Cure	MAS-30-612	1 qt		7 Min	2 Hrs	$40.99
	MAS-30-625	0.5 gal		7 Min	2 Hrs	$78.99
	MAS-30-613	1 gal		7 Min	2 Hrs	$136.99
Medium	MAS-30-516	1 pt	A polyamine blend intended for moderate activity and resistance to blushing. Moderate pot life, gel and thin film set times provide advantages when filleting and fairing.	12 Min	3 Hrs	$24.99
5 Day Cure	MAS-30-532	1 qt		12 Min	3 Hrs	$40.99
	MAS-30-564	0.5 gal		12 Min	3 Hrs	$78.99
	MAS-30-510	1 gal		12 Min	3 Hrs	$136.99
Slow "No Blush"	MAS-30-006	1 pt	High reactivity and an extended gel time for controlled applications. Low viscosity and blush free and phenol free, modified amine blend. Good UV stability, smooth finishes and ability to cure in high humidity.	27 Min	5 Hrs	$24.99
7 Day Cure	MAS-30-007	1 qt		27 Min	5 Hrs	$40.99
	MAS-30-026	0.5 gal		27 Min	5 Hrs	$78.99
	MAS-30-008	1 gal		27 Min	5 Hrs	$136.99

Pumps

Pumps	Item #	Description	MSRP
Pump Set	MAS-30-016	This set includes two pumps 8cc and 4 cc that fit into all MAS epoxy containers.	$13.99

Fillers

Fillers	Item #	Size	Description	Strength	Sandability	MSRP
Silica	MAS-25-001	1 qt	Also referred to as coloidal silica. Can be used alone for a very smooth, high strength mixture.	High	Worst	$12.99
Thickener	MAS-25-002	1/2 gal				$18.99
Plastic Mini	MAS-25-005	1 qt	Used to thicken the mixture to make a glue. Excellent for making a gap filling adhesive.			$24.99
Fibers	MAS-25-006	1/2 gal				$44.99
Wood Flour	MAS-25-020	1 qt	Fine sawdust. Excellent for creating glues and structural fillets.			$10.99
	MAS-25-021	1/2 gal				$16.99
Phenolic	MAS-25-007	1 qt	These bulking agents are hollow, purple-brown microscopic phenolic spheres. Low Density filler. Not recommended for gluing.			$22.99
Microballoons	MAS-25-008	1/2 gal		Low	Best	$37.99

Interlux Epiglass

A versatile epoxy resin system, suitable for a wide variety of uses, such as sheathing, laminating, filling and fairing, and gluing on boats of all types. Low viscosity for ease of mixing and wet out. Fast hardener allowing a short time between re-application/sanding. Use in combination with Interprotect 2000E for blister repair. 4:1 Ratio.

Size	Type	Item #	Price
gal	Resin	INT-HT9000G	**$102.32**
quart	Fast Hardener	INT-HT9001Q	**$39.43**
quart	Std. Hardener	INT-HT9002Q	**$39.43**

WEST 101 Handy Repair Pack

Includes 105 Resin and 205 Hardener, high density filler, application brush, mixing stick, pipe cleaner, two cleaning pads and complete instructions. The components can be mixed in the disposable package. **Refill Pack** includes six packets of 105 Resin and six packets of 205 Hardener. **The Maxi Repair Pack** contains enough material for several separate repairs.

Type	Item #	Price
Handy Repair Pack	WSY-101	**$12.60**
Handy Repair Pack Refill (6)	WSY-101T	**$20.14**
Maxi Repair Pack	WSY-1016	**$31.74**

MAS Rapid Cure Epoxy Repair Kits

Great for quick repairs and bonding. Designed to be mixed in small amounts--no more than 1/2 oz of each of the resin and hardener at a time. This is Fast, Permanent and Waterproof! You will have 30-45 seconds of working time and will set in 5 to 10 minutes. You can sand and handle bonded parts in 1 hour. Full cure is 4-6 hours. 1:1 Mix Ratio.

Kits	Item #	MSRP
Mini Kit 8 oz	MAS-30-100	**$33.99**
Pint Kit 16 oz	MAS-30-101	**$47.99**
Quart Kit 32 oz	MAS-30-102	**$78.90**

Permapoxy Quick Set 5 Minute Epoxy

A fast setting crystal clear epoxy that sets in 4-6 minutes. This quick set adhesive fills gaps and makes strong water resistant repairs to almost any material. Suggested applications: ceramics, china, glass, fiberglass repairs. Permanent strength up to 3400 psi.

Size	Item #	Price
0.84 oz	PTX-84101	**$7.96**

Polyvinyl Alcohol Mold Release (PVA)

Used for curing gel coat in a mold. Allows a full cure at the surface of the mold (where air doesn't exist) and eliminates the tacky feel. Meant to be spread on a mold over the mold wax and before spraying gel coat. ***This is not a replacement for MEKP.***

Size	Item #	Price
8 fl oz	FIB-105685	**$17.54**

Colored Gelcoats

Dries to a hard sandable finish No wax paper or special tools needed. Includes MEKP hardener. Contains wax.

Size	Color	Item #	Price
Quart	Navy Blue	FIB-5707	**$37.68**
Gallon	Navy Blue	FIB-5807	**$97.90**
Quart	Forest Green	FIB-5709	**$48.31**
Gallon	Forest Green	FIB-5809	**$102.35**
Quart	Fighting Lady Yellow	FIB-5710	**$37.40**
Gallon	Fighting Lady Yellow	FIB-5810	**$96.80**
Quart	Claret	FIB-5711	**$36.31**
Gallon	Claret	FIB-5811	**$96.80**
Quart	Vivid Red	FIB-5712	**$37.40**
Gallon	Vivid Red	FIB-5812	**$161.33**
Quart	Moon Dust	FIB-5713	**$44.88**
Gallon	Moon Dust	FIB-5813	**$96.80**
Quart	Prairie Beige	FIB-5714	**$37.40**
Gallon	Prairie Beige	FIB-5814	**$86.00**
Quart	Snow White	FIB-5700	**$37.40**
Gallon	Snow White	FIB-5800	**$80.60**
Quart	Matterhorn White	FIB-5701	**$33.00**
Gallon	Matterhorn White	FIB-5801	**$86.00**
Quart	Oyster White	FIB-5702	**$32.74**
Gallon	Oyster White	FIB-5802	**$76.00**
Quart	Cream	FIB-5703	**$34.08**
Gallon	Cream	FIB-5803	**$82.00**
Quart	Light Gray	FIB-5704	**$48.39**
Gallon	Light Gray	FIB-5804	**$86.00**
Quart	Black	FIB-5705	**$42.81**
Gallon	Black	FIB-5805	**$83.60**
Quart	Flag Blue	FIB-5706	**$42.24**
Gallon	Flag Blue	FIB-5806	**$87.00**

Epoxy / Gelcoat Coloring Agents

Gel match and blend with polyester resins, gel paste, Formula 27, Skid-No-More and putty. 2 oz each. (Larger sizes available.)

Color	Item #	Price
Grey	FIB-501	**$7.88**
Red	FIB-503	**$8.75**
Yellow	FIB-505	**$7.88**
Brown	FIB-506	**$7.88**
Blue	FIB-507	**$7.88**
Black	FIB-508	**$7.88**
White	FIB-509	**$7.88**
Green	FIB-510	**$7.88**

White and Neutral Gelcoat

Dries to a hard sandable finish, No wax paper or special tools needed. Includes MEKP hardener. Contains wax. Neutral is better with coloring agents. White is more opaque with coloring agents.

Resin Size	Color	MEKP Size	Item #	Each
Quart	White	12 cc	FIB-5675	**$35.09**
Quart	Neutral	12 cc	FIB-5676	**$35.09**
Gallon	White	40 cc	FIB-5677	**$116.85**
5-Gallon*	White	200 cc	D403	**$259.50**

Store pick-up & truck shipment only.

Gelcoat Repair Kit

1 oz polyester Gel Resin, 5 ml Liquid Hardener, 6 Color Resins 5 ml each (white, yellow, black, red, blue, brown), Color blending Guide, Mixing Sticks, Plastic Release Film.

Type	Item #	Price
Kit	FIB-108000	**$30.19**

Bondo Boatyard Resin

Superior polyester multi-use resin for all do-it-yourself repairs, and resurfacing and rebuilding boats. Formulated for small repairs on soft wood, metal, and fiberglass. Excellent wetting and penetrating qualities. Holds fiberglass on vertical surfaces. Can be built up with no sanding between layers. Contains wax.

Size	Item #	Each
Quart	BON-3692	$15.52
Gallon	BON-3694	$40.00

Bondo Marine Epoxy Resin

Multi-use 1 to 1 mixing ratio epoxy designed to be compatible with reinforced powders and thickeners for tough repairs above or below the waterline. ***Features:*** *1 to 1 mixing ratio, resistance to water and gasoline, excellent for structural fiberglass repairs, and can be used on fiberglass, wood, aluminum and metals. Kit contains Pint of part A and Pint of part B.*

Kit Size	Item #	Price
Quart	BON-3202	$66.78

Bondo Glass Filler

Repairs small rusted-out metal holes and shattered fiberglass body parts. Sandable in only 20 minutes and compatible with all paint systems. Waterproof. Includes Red Cream Hardener.

Size	Item #	Price
Quart	BON-272	$15.99
Gallon	BON-274	$52.73

Bondo-Hair Long Strand Fiberglass Body Filler

Formulated with long strands of chopped fiberglass for twice the strength of a regular body filler. Recommended for use on up to 1" rust holes, shattered fiberglass and dents where extra strength is required. Repairs fiberglass, metal and wood. Sandable in only 20 minutes and compatible with all fillers, primers and paints. Waterproof. Includes red cream hardener.

Size	Item #	Price
Quart	BON-762	$14.20
Gallon	BON-764	$52.07

Bondo - White and Red Cream Hardener

Designed to be used with Bondo Body Fillers, Bondo - Glass, Bondo - Hair, and Fiberglass Resin Jelly. Formulated and packaged under temperature-controlled conditions which assures freshness and maximum performance.

Color	Size	Item #	Price
White	2.75 oz Tube	BON-20058	$7.50
Red	.75 oz Tube	BON-913	$3.80
	2.75 oz Tube	BON-928	$7.44

Extra MEKP Polyester Hardener

Methyl ethyl ketone peroxide.

Size		Item #	Price
40 cc	2 fl oz	FIB-603	$5.75
240 cc	8 fl oz	FIB-604	$11.50

Polyester Finishing Resin

High quality polyester finishing resin used for repairs and rebuilding. Sandable, no-sag, no run resin cures tack free over fiberglass, wood, and metal. Includes MEKP hardener. Contains wax. Cures to a hard, clear, sandable, polishable surface. Polyester finishing resin is sometimes also called surf board resin.

Size	Item #	Price
Quart	FIB-553	$23.20
Gallon	FIB-552	$47.15
5-Gallon	FIB-551	$188.10

Polyester Laminating Resin

A first coat resin for base coat applications. Resin remains tacky to hold fiberglass fabric in place on vertical surfaces. Needs no sanding between coats. Excellent for saturating fiberglass fabrics. MEKP Hardener included.

Size	Item #	Price
Quart	FIB-540	$23.20
Gallon	FIB-541	$47.15

Bondo Fiberglass Resin

Extremely strong and can be used to build most boats. Use Bondo polyester resin alone or with fiberglass tape, cloth or mat to repair damaged fiberglass boats, snowmobiles, jet skis, bathtubs and showers. It can also be used as a sealer on damaged and rotted wood. Sandable in less than 2 hours. Compatible with all paints, including gelcoat and marine paints. Waterproof. Includes liquid hardener.

Size	Item #	Price
Pint	BON-401	$12.58
Quart	BON-402	$18.33
Gallon	BON-404	$55.35

Bondo Fiberglass Resin Repair Kits

High strength polyester resin that can be used to build most boats. Use alone or with fiberglass tape, cloth or mat to repair damaged fiberglass boats, snowmobiles, jet skis, bathtubs and showers. Seals concrete, is great on large or small metal rust-outs and joins most surfaces together while creating a strong, long lasting bond. Sandable in less than 2 hours. Compatible with all paints, including gelcoat and marine paints. Waterproof.

Kit Size	Item #	Price
1/2 Pint	BON-420	$17.14
Quart	BON-422	$23.23

Bondo Fiberglass Resin Jelly

A milled fiberglass reinforced, non-drip jelly formula. Recommended for repairing and filling minor rust-outs on metal, wood, plastic, boats, fiberglass autobodies, campers, farm equipment, snowmobiles and more. Great for vertical surface repairs. Spreads easily and is sandable in only 20 to 30 minutes. Can be used with fiberglass cloth or mat if additional strength is needed. Compatible with all paints. Waterproof. Includes Red Cream Hardener.

Kit Size	Item #	Price
Pint	BON-430	$13.68
Quart	BON-432	$17.84

WIS10LH

HYD-34015

FIS-9454-7097

Wiss Fiberglass Cutting Shears

Wiss Heavy Bent Trimmer Shears. Heavy duty industrial shears have a raised blade to permit a full cut with minimum handle opening. Left and Right handed.

Size	Item #	Price
Right - 10"	CTL-20N	$41.51
Right - 12"	CTL-22N	$46.31
Left - 10"	CTL-20LHN	$41.51

Fiskars Shears

Fiskars shears easily cut the strongest materials, including notoriously hard to cut aramids such as Kevlar, carbon fiber, fiberglass, woven roving, Dynel and many other fabrics.

Size	Item #	Price
8"	FIS-9454-7097	$24.46
9"	FIS-9446-6984	$30.69

Stainless Steel Scissors

Lightweight and Low cost. Stainless Steel blades that are heat treated for durability. Comfortable soft grip handles with larger bottom ring.

Size	Item #	Price
11" w/ 5.25" blade	HYD-34015	$11.80

An online resource for boat repair, restoration and building.
JOIN TODAY AND SHARE YOUR IDEAS!
BOATBUILDING.NET

Bodi Rollers

Bodi Laminating Epoxy Rollers

Strong long life rollers made with thin fins and deep grooves provide excellent air release. Patented handle design proven least tiring during long hours of use. Also accepts extension handles for hard to reach jobs. Non-corrosive 1/4" frame. Aluminum and plastic clean easily in solvent.

Size	Item #	Price
Aluminum		
5/8" x 3"	BOD-11-33A	$9.98
5/8" x 6"	BOD-11-36A	$13.66
3/4" x 3"	BOD-11-43A	$11.16
3/4" x 6"	BOD-11-46A	$13.97
1" x 3"	BOD-11-53A	$12.00
1" x 6"	BOD-11-56A	$15.53
Plastic		
3/4" x 6"	BOD-11-46P	$13.97
1" x 6"	BOD-11-56P	$15.53

Spiral Bristle Epoxy Rollers

Spiral bristle hair rollers on sturdy frames. Good for all around purposes, including laminating wet-out of bulky knitted fiberglass. Excellent for use in filled systems (aluminum trihydrate). Roller heads pull off for easy cleaning.



Size	Item #	Price
3/4" x 3"	BOD-18-431	$12.60
3/4" x 6"	BOD-18-461	$17.40
1" x 3"	BOD-18-531	$12.60

Bodi Econo Line Rollers

Small rollers for detail work, mold making, on-site projects and small parts. Excellent for hard to reach places large rollers often miss. Strong thin-finned rollers have 5/32" steel frame and durable wood handle. Both aluminum and plastic clean easily in solvent.

Size	Item #	Price
Aluminum		
3/8" x 3"	BOD-13-13A	$7.73
3/8" x 5"	BOD-13-15A	$9.05
1/2" x 3"	BOD-13-23A	$7.73
1/2" x 5"	BOD-13-25A	$9.05
3/4" x 3"	BOD-13-43A	$9.31
Plastic		
1/2" x 3"	BOD-13-23P	$7.73
1/2" x 5"	BOD-13-25P	$9.05
3/4" x 3"	BOD-13-43P	$7.73
1" x 3"	BOD-13-53P	$7.73

Quik Change 1/2 Bristle Rollers

Bodi 1/2" Bristle Quik Change Epoxy laminating rollers are available in two different sizes 1/2" x 3" and 1/2" x 5". These rollers are great for doing skin coats with a small radius. Excellent air release!

Size	Item #	Price
1/2" x 3"	BOD-18-23	$15.53
1/2" x 5"	BOD-18-25	$19.51

Bodi Detail Epoxy Rollers

Strong, small diameter rollers with deep grooves and thin fins provide excellent air release. Superior for mold making, detail work on large and small parts, and releasing air when larger rollers and brushes won't. 5/32" frame accepts extension handles. Cleans easily in solvent.

Size	Item #	Price
Aluminum		
3/8" x 3"	BOD-12-13A	$10.46
3/8" x 5"	BOD-12-15A	$12.17
1/2" x 3"	BOD-12-23A	$10.46
1/2" x 5"	BOD-12-25A	$12.48
Plastic		
1/2" x 3"	BOD-12-23P	$10.46

Bodi Corner Rollers

High quality polyethylene rollers for easy and quick rolling of corners and ridges.

Size	Item #	Price
1/4" x 2-1/4"	BOD-14-0P	$12.75
3/8" x 2-1/4"	BOD-14-1P	$12.75
1/2" x 2-1/4"	BOD-14-2P	$12.75
5/8" x 2-1/4"	BOD-14-3P	$12.25

WE CAN'T FIT IT ALL IN THIS CATALOG.

Always more online!
www.JamestownDistributors.com

Reusable Mixing Sticks

The squared, beveled end reaches into the square corners of your mixing pots for thorough mixing of epoxy and blending of fillers. Good for cleaning and removing the small ridges of uncured epoxy left from a filleting job.

Product	Item #	8/pk
Reusable Mixing Stick	WSY-804-8	$2.52

Syringes

Reusable syringes that can be loaded with epoxy mixture for injecting into tight spots.

Size	Item #	5/pk
0.5 fl oz (14 cc)	WSY-807	$3.29
2 fl oz (60 cc)	KEN-160157	$3.38

Acid or Glue Brushes

Natural bristle acid or glue brushes have crimped metal handles. Brush head width is 3/8".

Product	Item #	Qty	Price
Glue Brush (12 Pack)	WSY-803-12	12	$4.89
Acid Brush (Box)	BRUACID	144	$21.84

Plastic Spreaders

Single edge useful for applying epoxies and other gel coats at a constant rate.

Size	Item #	Pack Qty	Price/Pk
3-1/2" x 6"	GER-030004	5	$3.54
4" x 2-1/2"	GER-030001	5	$3.23
Assortment	D238	3	$2.63



West System Notched Spreader

These 4" x 4" spreaders have notches carved into three of the four sides (1/8", 3/16", 1/4" notches). Used for quickly applying modified epoxy at a constant rate. Great when laminating large panels.

Size	Item #	3/pk
4" x 4"	WSY-809	$2.64

Tongue Depressors

These are great for stirring and applying small amounts on sample areas.

Item #	Box (500)
PSTD	$13.98

WEST 800 Roller Covers

A high density polyurethane foam roller, ideal for epoxy, paint and varnish applications. Can be cut into shorter widths to match the application area and cut into brushes for tipping off fresh coats of epoxy. Covers are 7" wide. Packages of two.

Size	Item #	Pack (2)
7"	WSY-800-2	$5.08
7"	ARW-7PFME-T/P	$5.85

More roller covers, roller frames and trays can be found on page 111.

West System Plastic Roller Pan

Constructed from heavy duty, flexible, chemical resistant plastic that allows users to easily remove epoxy after it has cured so the pan can be reused for other applications. This eliminates the need for plastic liners and lowers cost.

Item #	Price
WSY-802	$5.00

Bondo Plastic Scoop

The Bondo plastic scoop fits easily inside and around the rim of gallon cans for easy mixing of fillers, paints, and primers.

Item #	Price
BON-368	$3.54

Mixing Boards

Mixing Boards for fillers, putties, and glues. Painters pallete design with 100 tear-away clean sheets so you have a fresh, clean work surface every time and avoid contaminating materials with residue from previous projects. Comes with one free spreader.

Product	Item #	Price
Mix Board W/100 Quick Mix Sheets	GLE-1800	$20.15

WEST SYSTEM Medicated Skin Cream

830 Soothes minor skin irritations and helps prevent dermatitis. **831** is a protective barrier cream to help protect skin from irritants. Use with protective gloves.

Size	Item #	Price
5 oz tube	WSY-830	$9.19
5 oz tube	WSY-831	$8.64

Bodi Adjustable Volume Dispenser

Delivers up to 25 ml of fluid accurately and safely in 5 ml increments. Molded of high quality polyethylene. Disassembles quick for cleaning. Includes dust cover. Can be used with solvents, liquids, epoxy, etc.

Item #	Price
BODI	$7.20

EPOXY & ADHESIVES

System Three Silvertip Metl Weld

Super tough two-part equal volume ratio epoxy adhesive, designed to bond metal and other dissimilar materials such as stainless steel, galvanized steel, aluminum, copper, glass, ceramic neoprene rubber and most porous services.

Kit Size	Item #	Each
Half Pint Kit	STR-153101	$21.67
Quart Kit	STR-1200K16	$48.64
Half Gallon Kit	STR-1200K20	$94.95
Gallon Kit	STR-1200K24	$166.32
2 Gallon Kit	STR-1200K50	$312.48

DAP Weldwood Plastic Resin Glue

Pre-catalyzed powdered, water soluble adhesive developed to make wood joints stronger than the wood itself. Easy to mix and use. Provides a highly water resistant bond that will not stain the wood, also resists bacteria and rot. For interior use only.

Size	Item #	Each
1 lb	WW0203	$9.80
4.5 lb	WW0204	$35.28

DAP Weldwood Contact Cement

A neoprene solvent based formula is quick drying and super strong. Withstands heat, water, chemical and aging conditions. Can be used to install carpeting in boats. Premium quality, brush grade, neoprene-based contact cement that meets the stringent requirements of the professional user. High strength and initial grab make it ideal for most projects. Fast-drying formula dries in 15-20 minutes. Offers high heat and water resistance when dry. Exceeds industry performance requirements.

Size	Item #	Each
1 fl. oz	DAP-00102	$7.76
3 fl. oz	DAP-00107	$10.36
Quart	WW0272	$14.78
Gallon	WW0273	$45.06

3M Spray Adhesive Low Mist Super 77

A high-tack, high coverage, fast-drying, transparent adhesive used to permanently attach carpeting, foils, foams, paper, cloth etc. to painted or unpainted metals, woods and other materials.

3M FoamFast Super 74 Orange

Aerosol adhesive for general upholstery foam bonding. Applications include: forming foam shapes, edge turning, and attaching foam to metal. **Low VOC's.**

Product	Size	Item #	Price
Super 77	16 oz	MMM-21210	$18.49
Super 74	16 oz	MMM-82242	$20.34

3M Hi-Strength 90 Spray Adhesive

Fastest drying high-strength aerosol adhesive that 3M offers. **Dries in just one to two minutes.** Adheres polyethylene and polypropylene to wood, metal, and more.

Size	Item #	Price
16 oz spray can	MMM-30023	$26.82

Gorilla Glue

An all purpose polyurethane wood glue which is catalyzed by moisture. Once cured it is totally resistant to solvents, yet excess can be easily removed with a scraper, chisel, or sandpaper. Strong and easy to use.

Size	Item #	Each
8 oz	GOR-FS50008	$11.84
18 oz	GOR-FS50018	$18.27
36 oz	GOR-FS50036	$28.29

Gorilla Wood Glue

Gorilla Wood Glue a is hard working, long lasting adhesive specially formulated for a variety of wood surfaces. It is water-resistant and contains no dyes for a cleaner looking bond line. Requires only 20 to 30 minutes of clamp time and is fully cured after 24 hours, allowing users to complete projects quicker. Safe for hardwoods, softwoods, and wood composites.

Size	Item #	Each
8 oz	GOR-6200002	$3.14
18 oz	GOR-6205001	$4.71

ALWAYS MORE ONLINE!

OVER 75,000 PRODUCTS!

Visit us at:
www.JamestownDistributors.com

Titebond III Ultimate Wood Glue

The waterproof formula passes the ANSI/HPVA Type I water-resistance specification and offers superior bond strength, longer open assembly time and lower application temperature. Titebond III is non-toxic, solvent free and cleans up with water - safer to use than traditional waterproof wood glues. It provides strong initial tack, sands easily without softening and is FDA approved for indirect food contact (cutting boards).

Size	Item #	Each
Pint	TBP-1414PT	$10.01
Quart	TBP-1415QT	$18.14
Gallon	TBP-1416	$48.65

Titebond II Premium Wood Glue

"WeatherProof," Titebond II is ideal for exterior woodworking projects. Titebond II is water resistant and has great durability and sandability. Ideal for outdoor furniture, birdhouses, mailboxes, planters and picnic tables.

Size	Item #	Each
4 oz	TBP5002	$3.98
8 oz	TBP5003	$5.81
Pint	TBP5004	$10.42
Quart	TBP5005	$14.52
Gallon	TBP5006	$26.58

Plexus Manual Application Gun For 380 ML Cartridges

Application gun required for all Plexus 380 ml cartridges. The plunger for the gun works on a hydraulic action, and creates a smoother flow than most caulking guns.

Item #	Price
COM-301141	$116.31

Plexus Mixing Nozzle For 380 ML Cartridges

The Plexus mixing nozzle is required to dispense any of the Plexus 380 ml adhesive cartridges. Use with Plexus applicator gun.

Item #	Price
COM-301143	$4.44

Plexus MA 300 All Purpose High Strength Adhesive

1 oz manual dispensing kit is a two-part methacrylate adhesive designed for structural bonding of thermoplastic, metal and composite assemblies. It is Cream in color. MA 300 is a simple one-to-one mix ratio. With a rapid cure time, it makes for quick repairs, yet has nearly three times the tensile strength of 5200.

Item #	Price
COM-104850	$12.26

Plexus MA 310 High Strength Plastic Adhesive

1 oz manual dispensing kit. This glue has a 1:1 mix ratio and a 15 to 18 minute working time. It is cream in color. MA 310 is an ideal universal adhesive since it has the chemical nature to bond to almost any plastic.

Item #	Price
COM-302143	$12.14

Plexus Primer/Conditioner PC120

A chemical primer and conditioner designed for Plexus adhesives used on aluminum and stainless steel. Acts as a cleaner to remove contaminants on the metal surace, in many cases replacing routine solvent cleaning. The active ingredients in this primer increase the bonding resistance against salt water.

Type	Item #	Price
4 oz Bottle	COM-301155	$18.17
Quart	COM-504902	$42.78

Plexus AO 420 High Strength Quick Cure Adhesive

PLEXUS® Structural Adhesives

Two part methacrylate adhesive designed for structural bonding of thermoplastic, metal and composite substrates. Combined at a 10:1 ratio, it has a working time of 4 ot 6 minutes and achieves 75% of ultimate strength in 15 to 18 minutes.

Item #	Price
COM-301131	$77.50

Plexus MA 425 Long Open Time All Purpose Adhesive

Strong adhesive commonly used in boatbuilding and gluing of plastics. This glue has a 10:1 mix ratio and a 30 to 35 minute working time. It is blue in color and features a long open time for ease of use. MA 425 is used often when a the application may take more time.

Item #	Price
COM-301134	$72.66

Plexus MA 550 UV Stable High Strength Adhesive

This glue has a 10:1 mix ratio and a 40 to 45 minute working time. It is white in color and features a UV stable formula. Commonly used to bond sections of boats that are exposed to high quantity of sunlight.

Item #	Price
COM-301151	$79.92

Plexus MA 832 Plastic To Metal Bonding Adhesive

This kit is a bonding agent commonly used to bond plastic to metal. This glue has a 10:1 mix ratio and 15 to 20 minute working time. It is grey in color and features exceptional metal bonding and a no priming needed system.

Item #	Price
COM-551261	$78.42

3M Scotch-Weld™

3M Scotch-Weld Acrylic Adhesives

Two-part structural formulation (10:1 mix ratio by volume) that bonds Low Surface Energy plastics (like polyethylene or polypropylene) together or with other materials without surface pretreatment.

Type	Item #	Price
DP8005	MMM-41547	$31.13
DP8010	MMM-49110	$30.25

3M Scotch-Weld EPX Plus II Applicator

Applies two-part adhesives with a squeeze of the trigger. The EPX Plus II Applicator dispenses 3M Scotch-Weld Adhesives in Duo-Pak Cartridges.

Item #	Price
MMM-50004	$45.62

3M Scotch-Weld EPX Plus II 10:1 Mixing Nozzle

The mixing nozzle simultaneously meters, mixes, and dispenses 3M Scotch-Weld DP8005 and DP8010 Plastic Adhesives. The adhesive is extruded through a static mixing nozzle, which ensures that the two components are mixed together thoroughly every time. 6 per pack.

Item #	Price (6/pk)
MMM-31381	$14.87

System Three Quik Fair Fairing Compound

A lightweight, microballoon-filled fast-curing two-part epoxy fairing putty with excellent moisture resistance. Designed to be used on both fiberglass and wood-epoxy boats above or below the waterline. Sandable in 6 hours.

Kit Size	Item #	Price
24 oz	STR-152101	$29.74
1.5 qt	STR-152102	$41.33
3 qt	STR-152103	$81.65
1.5 gal	STR-1400K46	$170.00

Interlux Interprotect Watertite

Two-part epoxy compound for filling holes and repairing scratches in gelcoat and fiberglass. Designed to be used as a component in Interprotect Series and specifically to fill gelcoat blisters below the waterline. For use above and below the waterline.

Size	Item #	Price
Liter Kit	INT-YAV135KITL	$52.73

Interlux Surfacing Putty

Fast-drying single package fairing compound. Above waterline.

Size	Item #	Price
pint	INT-0257P	$26.11

Smith's Fill-It Epoxy Filler

A high strength, flexible epoxy filler. Will cure down to 20° F. Mixes 1:1.

Size	Item #	Price
12 oz	SMI-FILL-IT12	$26.10
2 pt	SMI-FILL-ITPT	$59.20
1 gal	SMI-FILL-ITGL	$216.00

3M Acryl Marine Putty White

Recommended for filling pin holes scratches and other surface defects on hulls. Spreads easily, fast drying, easily sanded with low shrinkage.

Size	Item #	Price
21 oz	MMM-05962	$22.98

Gluvit Epoxy Water Sealer

Seeks out, fills and seals leaks on cabin roofs, decks, hulls and hatches. One coat 10 ml thick withstands 4000 lb per square foot of water pressure. Neutral color can be pigmented or painted. Pot life is 1 to 2 hours. Quart = 2 lb unit, Gallon = 8 lb unit.

Size	Item #	Each
Quart	TRA-RM330K	$54.41
Gallon	TRA-RM331K	$125.23

Bondo Lightweight Body Filler

Includes hardener. Not recommended for below the waterline.

Size	Item #	Price
Pint	BON-261	$11.96
Quart	BON-262	$11.93
Gallon	BON-265	$30.57

Awl-Fair Fairing Compound

Two component premium trowelable filler for fairing, leveling, or smoothing surface imperfections due to gouges, pitting, dents, or weld seams. May be used above or below the waterline.

White Base			Converter		
Size	Item #	Price	Size	Item #	Price
Quart	AWL-D8200Q	$42.85	Quart	AWL-D7200Q	$42.85
Gallon	AWL-D8200G	$141.94	Gallon	AWL-D7200G	$135.02

3M Marine Premium Filler

Water resistant Vinylester filler designed for fiberglass repair work above or below the waterline.

Size	Item #	Price
Pint	MMM-46004	$25.16
Quart	MMM-46005	$41.00
Gallon	MMM-46006	$108.37

3M Marine High Strength Repair Filler

A unique vinylester formula designed with short strand fiberglass for semi-structural repairs. Above and below the waterline.

Size	Item #	Price
Quart	MMM-46013	$61.18
Gallon	MMM-46014	$120.85

Interfill 833
Fine Finishing Fairing Compound

Two-part epoxy putty designed for fairing and smoothing a surface. Easy to sand, easy to mix 1:1 Ratio. Designed for above the waterline.

Type	Size	Item #	Price
Part A Base	0.5 gal	INT-YAA813HG	$75.91
Part B Standard Cure	0.5 gal	INT-YAA814HG	$75.91
Part B Fast Cure	0.5 gal	INT-YAA815HG	$75.91

Marine-Tex Repair Kit

Builds and repairs: holes, cracks, dents, worn out surfaces and damaged substrates. Bonds and fuses fiberglass, plastics, wood, metals, ferro-cement and porcelain. It is impervious to oil, fuel, grease, brine and detergents. Unaffected by temperatures from -60° F to 300° F. Can be sanded, drilled, sawed, threaded and painted.

Size	Color	Item #	Price
2 oz	White	TRA-RM305K	$15.19
0.75 lb		TRA-RM306K	$45.37
2 oz	Grey	TRA-RM301K	$15.19
1 lb		TRA-RM302K	$45.37

Vacuum Pump 6000

We have been looking for a small, affordable vacuum pump for the JD workshop for some time now. This is the one! It is small, quiet, weighs 16 lb and has big gauges. This baby can pull a maximum 25.5" Hg vacuum and has 1.1 CFM open flow. This is a great little vacuum pump for most small to medium sized shops.

Item #	Price
VACUUM-PUMP-6000	$409.94

Clear PVC Vacuum Hose

Nylon reinforced with a Red Tracer. 3/8" inside diameter vacuum hose. Clear side wall allows the operator to spot any blockage in the vacuum system. Works well with the Vacuum Pump 6000.

Sold in 10' length increments.

ID	OD	Item #	Price/10ft
3/8"	19/32"	SHI-162-0386	$0.72

Vacuum Bagging Release Fabric

Economical Release Fabric is a tough, finely woven nylon fabric treated with a release agent. It is used to separate the absorber, breather and vacuum bag from the laminate in vacuum bagging operations.

Size	Item #	Price
60" wide x 2 yd. rolls	FIB-RF602	$18.17
60" wide x 10 yd rolls	FIB-RF6010	$88.15
60" wide x 100 yd rolls	FIB-RF60	$708.44

Vacuum Bag Breather Fabric

Breather fabric is a lightweight, polyester blanket that provides excellent air passage within the vacuum envelope while it absorbs excess epoxy.

Size	Item #	Price
60" wide x 2.7 yd rolls	FIB-BF602	$10.55
60" wide x 10 yd rolls	FIB-BF6010	$35.16

Vacuum Bag Sealing Tape

Mastic tape sealant for airtight seals between vacuum bags and molds. Easy to work with around difficult angles. Patches small leaks in the system.

Size	Item #	Price
1/2" wide x 25' rolls	D312	$13.84

Vacuum Bag Film

Clear, heat-stabilized, modified nylon resin film. Can be used at temperatures up to 350˚ F (176˚ C) for typical composite cure cycle times. A tough, stretchable film for high vacuum pressures.

Size	Item #	Price/Roll
60" wide x 2 yd rolls	FIB-VB602	$6.89
60" wide x 10 yd rolls	FIB-VB6010	$21.52
60" wide x 20 yd rolls	FIB-VB6020	$37.89
60" wide x 100 yd rolls	FIB-VB60	$401.44

Bleeder Release Film

This film is the ideal release film for polyester or vinylester resins, as well as epoxies and phenolics. Features small holes designed to bleed out excess resins.

Size	Item #	Price
60" wide x 2 yd rolls	COM-529981-2	$7.93
60" wide x 10 yd rolls	COM-529981-10	$33.03

WEST System Vacuum Bagging Kit

A complete starter kit for room temperature repairs and small laminating projects up to 13 sq ft. The kit includes:

- Venturi vacuum generator with bronze muffler (1)
- Vacuum cups (3)
- 1/4" I.D. vacuum tubing (10')
- Vacuum gauge (1)
- Junction "T" barbs (2)
- Release fabric (15 sq ft)
- Breather fabric (15 sq ft)
- Vacuum bag film (15 sq ft)
- Vacuum bag sealant (25')
- Complete kit instructions

WSY-885 **$217.28**

The venturi generator develops over 20" Hg (mercury) of vacuum (10 psi) at 1 SCFM and is designed to run off of conventional shop air compressors delivering at least 60 psi at 2 SCFM.

WEST System Vacuum Cup and Tubing Kit

This kit offers the essential supplies needed to complete any vacuum bagging job. It includes three (3) vacuum bagging cups, and ten (10) feet of 1/4 inch I.D. vacuum tubing. Tubing can be cut to any desired length.

Item #	Price
WSY-885-34	$32.36

WEST System - Vacuum Bagging Techniques Manual

A definitive guide to the principles and application of vacuum bagging techniques for laminating composite materials with epoxy. Complete instructions describe various techniques, materials and equipment. Softcover, 52 pages.

Item #	Price
WSY-002-150	$4.95

Mold Release Wax

One coat on cured molds offers 5 to 10 releases. New molds require 3 coats. Contains carnauba wax.

Size	Item #	Price
15 oz	MEG-M0811	$15.63

AirTech Spiral Wrap

AirTech Spiral Wrap air duct infusion hose is used to allow air, and eventually excess resin, to be pulled from the perimeter of a molded product. This stiff plastic tubing is strong enough not to crush under any normal vacumm bagging pressure and allows proper flow of air and resin to get an even coat throughout the part being infused. This tubing is available in 3/4 and 5/8 inch diameters. It fits all standard hose barb fittings and sold in rolls of approximately 100 feet.

Diameter	Item #	Price/Roll
3/4"	COM-534074	$100.80
5/8"	COM-556015	$107.64